



| | | | | | |
|---|---|----|---|--------------------------|-----------------------------|
| PTO/SB/08A SIXTH SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary) | | | | Complete if Known | |
| | | | | Application Number | 09/723,926 |
| | | | | Filing Date | November 28, 2000 |
| | | | | Confirmation Number | 7411 |
| | | | | First Named Inventor | Turner, et al. |
| | | | | Group Art Unit | 1743 |
| | | | | Examiner Name | A. Soderquist |
| Sheet | 1 | of | 2 | Attorney Docket No. | SMX 3099.11 (98-14CIP3DIV2) |



| U.S. PATENT DOCUMENTS | | | | | | | |
|---|--------------------------|--|--|--|--|--|----------------|
| Examiner Initials* | Cite No. ¹ | U.S. Patent Document | | Name of Patentee or Applicant of Cited Document | Date of Publication of Cited Document MM-DD-YYYY | | |
| | | Number | Kind Code ² (if known) | | | | |
| GB | 163 | 5,286,652 | | James et al. | 02/15/1994 | | |
| FOREIGN PATENT DOCUMENTS | | | | | | | |
| Examiner Initials* | Cite No. ¹ | Foreign Patent Document | | | Name of Patentee or Applicant of Cited Document | Date of Publication of Cited Document MM-DD-YYYY | T ⁶ |
| | | Office | Number ⁴ | Kind Code ² (if known) | | | |
| GB | 164 | JP | 5261269 | | Okuda et al. | 10/12/1993 | |
| GB | 165 | JP | 9235241 | | Sugawara et al. | 09/09/1997 | X |
| OTHER ART - NON PATENT LITERATURE DOCUMENTS | | | | | | | |
| Examiner Initials* | Cite No. ¹ | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published. | | | | | T ⁶ |
| GB | 166 | HAZARD EVALUATION LABORATORY INC., <i>HEL Newsletter</i> , Autumn/Winter 1999, 4 pages, Issue 7, Monmouth Junction, New Jersey, USA. | | | | | |
| GB | 167 | HAZARD EVALUATION LABORATORY INC., <i>HEL Newsletter</i> , Spring/Summer 2000, 4 pages, Issue 8, Monmouth Junction, New Jersey, USA. | | | | | |

| | | | |
|-----------------------|----------------------|--------------------|----------|
| Examiner Signature | <i>A. Soderquist</i> | Date Considered | 10/20/03 |
|-----------------------|----------------------|--------------------|----------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached or place an "A" here if English language abstract is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, D.C. 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, D.C. 20231.

| | | | | | |
|---|---|----|---|--------------------------|-----------------------------|
| PTO/SB/08A SIXTH SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary) | | | | Complete if Known | |
| | | | | Application Number | 09/723,926 |
| | | | | Filing Date | November 28, 2000 |
| | | | | Confirmation Number | 7411 |
| | | | | First Named Inventor | Turner, et al. |
| | | | | Group Art Unit | 1743 |
| | | | | Examiner Name | A. Soderquist |
| Sheet | 2 | of | 2 | Attorney Docket No. | SMX 3099.11 (98-14CIP3DIV2) |

RECEIVED
 MAR 25 2003
 TC 1700


| | | | |
|-----------|-----|--|--|
| <i>CS</i> | 168 | HAZARD EVALUATION LABORATORY INC., <i>HEL Newsletter</i> , Autumn 2000, 4 pages, Issue 9, Lawrenceville, New Jersey, USA. | |
| | 169 | HAZARD EVALUATION LABORATORY INC., <i>Process Development and Safety</i> , undated, 5 pages, New Jersey, USA. | |
| | 170 | HAZARD EVALUATION LABORATORY INC., <i>Reaction Calorimetry: Simular</i> , undated, 2 pages, Monmouth Junction, New Jersey, USA. | |
| | 171 | HAZARD EVALUATION LABORATORY INC., <i>Research Scale Reactor Automation: Auto-MATE</i> , undated, 4 pages, Monmouth Junction, New Jersey, USA. | |
| | 172 | HAZARD EVALUATION LABORATORY INC., <i>Introducing Tips: Tools for Integration of Process Systems</i> , undated, 1 page, New Jersey, USA. | |
| <i>CS</i> | 173 | HAZARD EVALUATION LABORATORY INC., <i>Miniature Multiple Reactor System: auto-MATE</i> , undated, 8 pages, Monmouth Junction, New Jersey, USA. | |

| | | | |
|--------------------|----------------------|-----------------|-----------------|
| Examiner Signature | <i>A. Soderquist</i> | Date Considered | <i>10/20/02</i> |
|--------------------|----------------------|-----------------|-----------------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached or place an "A" here if English language abstract is attached..

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, D.C. 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, D.C. 20231.

| | | | |
|---|---|--------------------------|-----------------------------|
| PTO/SB/08A | | Complete if Known | |
| SEVENTH SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary)  | | Application Number | 09/723,926 |
| | | Filing Date | November 28, 2000 |
| | | Confirmation Number | 7411 |
| | | First Named Inventor | Turner, et al. |
| | | Group Art Unit | 1743 |
| | | Examiner Name | A. Soderquist |
| Sheet | 2 | of | 3 |
| | | Attorney Docket No. | SMX 3099.11 (98-14CIP3DIV2) |

RECEIVED

AUG 07 2003

GROUP 1700


| | | |
|-----|---|--|
| 184 | HAZARD EVALUATION LABORATORY INC., <i>Reaction Calorimetry & Laboratory Automation</i> , undated, 1 page, Herts., England. | |
| 185 | HAZARD EVALUATION LABORATORY INC., <i>Reaction Calorimetry</i> , undated, 3 pages. | |
| 186 | HAZARD EVALUATION LABORATORY INC., <i>Reaction Calorimetry: Simular</i>, undated, 2 pages, Monmouth Junction, New Jersey, USA. Duplicate cite (170) | |
| 187 | HAZARD EVALUATION LABORATORY INC., <i>Research Scale Reactor Automation: Auto-MATE</i>, undated, 4 pages, Monmouth Junction, New Jersey, USA. Duplicate cite (171) | |
| 188 | HAZARD EVALUATION LABORATORY INC., <i>Introducing Tips: Tools for Integration of Process Systems</i>, undated, 1 page, New Jersey, USA. Duplicate cite (172) | |
| 189 | HAZARD EVALUATION LABORATORY INC., <i>Miniature Multiple Reactor System: auto-MATE</i>, undated, 8 pages, Monmouth Junction, New Jersey, USA. Duplicate cite (173) | |
| 190 | HAZARD EVALUATION LABORATORY INC., <i>Specify SIMULAR Around Your Chemistry</i> , undated, 5 pages, Lawrenceville, New Jersey, USA. | |
| 191 | HAZARD EVALUATION LABORATORY INC., <i>First Amended Complaint with Jury Demand</i> , July 31, 2002, 5 pages, New Jersey, USA. | |
| 192 | HAZARD EVALUATION LABORATORY INC., <i>Answer to Counterclaim</i> , September 9, 2002, 3 pages, New Jersey, USA | |
| 193 | SINGH, JASBIR, <i>Thermal Analysis and Reaction Calorimetry</i> , undated, 3 pages. | |
| 194 | SCIENTIFIC UPDATE, <i>The Evolution of a Revolution: Laboratory Automation in Chemical Process R&D</i> , September 5, 1997, 3 pages, East Sussex, United Kingdom. | |
| 195 | SINGH, JASBIR, <i>Assessing Semi-Batch Reaction Hazards</i> , THE CHEMICAL ENGINEER, February 25, 1993, 4 pages. | |
| 196 | SINGH, JASBIR, <i>Reaction Calorimetry for Process Development: Recent Advances</i> , PROCESS SAFETY PROGRESS, Spring 1997, 7 pages. | |

| | | | |
|--------------------|-------------------------|-----------------|----------|
| Examiner Signature | <i>Arlen Soderquist</i> | Date Considered | 10/20/03 |
|--------------------|-------------------------|-----------------|----------|


*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached or place an "A" here if English language abstract is attached..

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, D.C. 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, D.C. 20231.

| | | | |
|--|---------------------|-----------------------------|-------------------|
| PTO/SB/08A | | Complete if Known | |
| SEVENTH SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)  | | Application Number | 09/723,926 |
| | | Filing Date | November 28, 2000 |
| | | Confirmation Number | 7411 |
| | | First Named Inventor | Turner, et al. |
| | | Group Art Unit | 1743 |
| | | Examiner Name | A. Soderquist |
| Sheet 1 of 3 | Attorney Docket No. | SMX 3099.11 (98-14CIP3DIV2) | |

| OTHER ART - NON PATENT LITERATURE DOCUMENTS | | | |
|---|-----------------------|--|----------------|
| Examiner Initials* | Cite No. ¹ | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published. | T ⁶ |
| CS | 174 | HAZARD EVALUATION LABORATORY INC., <i>Affordable Reaction Calorimetry: Efficient Process Development and Hazard Assessment</i> , undated, 4 pages, Herts., England. | |
| | 175 | HAZARD EVALUATION LABORATORY INC., <i>HEL AUTO-LAB: An Automated Reactor and General Purpose Control System</i> , undated, 4 pages, Monmouth Junction, New Jersey, USA. | |
| | 176 | HAZARD EVALUATION LABORATORY INC., <i>Automated Batch Reactors: Bench Scale With Selected Features</i> , undated, 4 pages, Monmouth Junction, New Jersey, USA. | |
| CS | 177 | HAZARD EVALUATION LABORATORY INC., <i>HEL Newsletter</i> , Summer/Autumn 1993, 4 pages, Herts, England. | |
| | 178 | HAZARD EVALUATION LABORATORY INC., <i>HEL Newsletter</i>, Autumn/Winter 1999, 4 pages, Issue 7, Monmouth Junction, New Jersey, USA. Duplicate cite (166) | |
| | 179 | HAZARD EVALUATION LABORATORY INC., <i>HEL Newsletter</i>, Spring/Summer 2000, 4 pages, Issue 8, Monmouth Junction, New Jersey, USA. Duplicate cite (167) | |
| | 180 | HAZARD EVALUATION LABORATORY INC., <i>HEL Newsletter</i>, Autumn 2000, 4 pages, Issue 9, Lawrenceville, New Jersey, USA. Duplicate cite (168) | |
| CS | 181 | HAZARD EVALUATION LABORATORY INC., <i>High Pressure Chem-Scan for Rapid Chemical Reaction Scanning</i> , undated, 2 pages, Lawrenceville, New Jersey, USA. | |
| | 182 | HAZARD EVALUATION LABORATORY INC., <i>Process Development and Safety</i>, undated, 5 pages, New Jersey, USA. Duplicate cite (169) | |
| CS | 183 | HAZARD EVALUATION LABORATORY INC., <i>Process Development and Safety: Using Computer Controlled Reactors and Calorimeters</i> , undated, 2 pages, Monmouth Junction, New Jersey, USA. | |

| | | | |
|--------------------|---|-----------------|----------|
| Examiner Signature |  | Date Considered | 10/20/03 |
|--------------------|---|-----------------|----------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached or place an "A" here if English language abstract is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, D.C. 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, D.C. 20231.

| | | | | |
|--|----|--------------------------|---------------------|-----------------------------|
| PTO/SB/08A | | Complete if Known | | |
| SEVENTH SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary) | | Application Number | 09/723,926 | |
| | | Filing Date | November 28, 2000 | |
| | | Confirmation Number | 7411 | |
| | | First Named Inventor | Turner, et al. | |
| | | Group Art Unit | 1743 | |
| | | Examiner Name | A. Soderquist | |
| Sheet | of | 3 | Attorney Docket No. | SMX 3099.11 (98-14CIP3DIV2) |

RECEIVED
AUG 07 2003
GROUP 1700

| | |
|-----|---|
| 197 | SINGH, JASBIR, <i>Automation of Reaction Research - An Alternative to Robotics</i> , EUROPEAN PHARMACEUTICAL CONTRACTOR, November 1997, 4 pages. |
| 198 | SINGH, JASBIR, <i>Safe Scaleup of Exothermic Reactions</i> , CHEMICAL ENGINEERING, May 1997, 4 pages. |
| 199 | SINGH, JASBIR, <i>Scaleable Automated Laboratory Reactors</i> , undated ("Scaleable Automated Laboratory Reactors" title listed in reference 194 noted above), 13 pages, East Sussex, United Kingdom. |
| 200 | PARR INSTRUMENT COMPANY, <i>Stirred Reactors: Series 4520 Options</i> , undated, 3 pages. |
| 201 | SYMYX TECHNOLOGIES, INC., Answer and Counterclaim, August 30, 2002, 8 pages, New Jersey, USA. |
| 202 | SYMYX TECHNOLOGIES, INC., First Amended Answer and Counterclaim, October 30, 2002, 9 pages, New Jersey, USA. |
| 203 | HAZARD EVALUATION LABORATORY INC., <i>Untitled Drawings</i> , undated, 4 pages. |
| 204 | WALDRAM, SIMON, ET AL., <i>Increasing the Scale of Process Operations: How to Identify Exothermic Reaction Hazards</i> , undated, 3 pages. |

| | | | |
|--------------------|----------------------|-----------------|----------|
| Examiner Signature | <i>A. Soderquist</i> | Date Considered | 10/20/03 |
|--------------------|----------------------|-----------------|----------|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached or place an "A" here if English language abstract is attached..

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, D.C. 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, D.C. 20231.